



Magnets for securing Pilot Rope Ladders to the ship's Hull, as per latest SOLAS Rules A. 1045 (27)

N - SS Hull, pilot ladder & magnet

N-SS Hull Magnet are designed to create a safer environment for staff & harbour pilots by providing removable anchor points for the ladder on the ship's side. The product is made to withstand a seawater environment. It has no internal moving parts or entry points for sea water.

They are lightweight for easy handling, yet immensely strong, providing more than 300 kgs of lift & pull ratings, and a clamp rate of approximately 850 KG. It sticks to several layers of paint & dirt on the hull. In below Instruction pictures Hull magnets are shown as floating spill booms for maintenance vessels. It comes with a 4 magnet feature.



Model	Painted	Material	Lift rating (kgs) Pull rating	Clamping rate (kgs)	Dimensions (W x L x H)	Weight (kgs)
NSSP LM-300	Powder coating	Steel and stainless steel	300	-850	250x210x 100	5.0




Magnets for securing Pilot Rope Ladders to the ship's Hull, as per latest SOLAS Rules A. 1045 (27)





Aluminium accomodation ladders safety pneumatic locker



Model	Painted	Material	Lift rating (kgs) Pull rating	Clamping rate (kgs)	Dimensions (W x L x H)	Weight (kgs)
NSSP LM-300	Powder coating	Steel and stainless steel	300	-850	250x210x 100	5.0

